

MARVEL

TVS 

UNLEASH YOUR
WICKED

© 2025 MARVEL

DEADPOOL



WOLVERINE




**SUPER
SQUAD
EDITION**

TVS

RAIDER
— THE WICKED RIDE

WICKED PERFORMANCE

A stunner and a performer, rolled into one.



BEST-IN-CLASS TORQUE

11.75 Nm @6000RPM



10% MORE MILEAGE*



FIRST-IN-SEGMENT

ON-DEMAND POWER

Multiple ride modes with tailored power delivery

ECO: High mileage & optimum power

POWER: Higher pickup & top speed



ADVANCED 3V ENGINE

Air cooled engine with oil cooling



FOR 15% MORE MILEAGE*



SILENT START WITH ISG
AUTO START-STOP TECHNOLOGY



WICKED COMFORT

Comfort never takes a backseat.



GLIDE THROUGH TECHNOLOGY



COMFORTABLE RIDING POSTURE

For long rides



MONOSHOCK SUSPENSION

Gas-charged 5-step adjustable



WIDER SPLIT-SEAT

For rider & pillion comfort



EASY GROUND REACH



WIDER TYRES

WICKED FEATURES

FIRST-IN-SEGMENT

Get the first mover advantage.



TFT CLUSTER

99 connected features

GEAR SHIFT AND POSITION INDICATOR

Know the current gear and know when to shift



TOP-SPEED RECORDER

Record your best performance in real time



DISTANCE TO EMPTY & AVG FUEL ECONOMY

Real-time information on range & mileage



WICKED FIRST-IN-SEGMENT

SAFETY & CONVENIENCE

Smart, sensible and safe



UNDER SEAT STORAGE

Spacious & easy to access



ROTO PETAL DISC BRAKE

For better braking efficiency



HELMET ATTENTION
INDICATION



USB CHARGER
(OPTIONAL)



SIDE STAND INDICATION
WITH ENGINE CUT OFF

WICKED STYLING

Not just another bike in the crowd



ANIMALISTIC LED HEADLAMP

With signature position lamp



UNIQUE LED TAIL LAMP

For better visibility & high mileage



3-TONE COLOUR

WICKED COLOURS



BLACK PANTHER



IRON MAN



DEADPOOL



WOLVERINE

TECHNICAL SPECIFICATIONS

ENGINE & TRANSMISSION

Type	Air & Oil cooled single cylinder, SI
Bore x Stroke (mm)	53.5 x 55.5
Piston displacement (cc)	124.8
No. of valves	3
Maximum power in kW	8.37 @ 7500 rpm
Maximum torque in Nm	11.2 @ 6000 rpm
No. of gears	5 speed
Pattern	1-N-2-3-4-5

CHASSIS DIMENSIONS & WEIGHT

Overall length (mm)	2070
Overall height (mm)	1028
Overall width (mm)	785
Wheel base (mm)	1326
Ground clearance (mm)	180 (unladen)
Kerb weight (kg)	123

SUSPENSION

Front type	Telescopic
Rear type	Monoshock, 5-step adj, Gas charged

TYRE

Front tyre	80/100 - 17 Tubeless, 46P
Rear tyre	100/90 - 17 Tubeless, 55P

BRAKES

Front Disc/Drum (mm)	Disc - 240, Drum - 130
Rear Drum (mm)	130 SBT

ELECTRICALS

Battery type & spec.	MF battery, 12V 5 Ah
Headlamp	LED
Tail lamp	LED

CAPACITIES

Fuel tank (litre)	10
-------------------	----

TVS  TVS MOTOR COMPANY LIMITED

P.B. No.4, Harita, Hosur - 635 109, Tamil Nadu, India.

Tel: +91 (04344) 276780 | Fax: +91 (04344) 276878

www.tvsmotor.com

MARVEL

© 2023 MARVEL

TVS 

UNLEASH YOUR
WICKED

DEADPOOL



WOLVERINE



**SUPER
SQUAD
EDITION**

TVS

RAIDER
— THE WICKED RIDE

WICKED BEST-IN-CLASS PERFORMANCE

A stunner and a performer, rolled into one.



GLIDE THROUGH TECHNOLOGY

For effortless, slow-speed riding through traffic.



10% MORE MILEAGE*



ON-DEMAND POWER

Multiple ride modes with tailored power delivery
ECO: High mileage & optimum power
POWER: Higher pickup & top speed



UNDER SEAT STORAGE

Spacious & easy to access





WICKED COLOURS



BLACK PANTHER



IRON MAN



DEADPOOL



WOLVERINE

TECHNICAL SPECIFICATIONS

ENGINE & TRANSMISSION

Type	Air & Oil cooled single cylinder, SI
Bore x Stroke (mm)	53.5 x 55.5
Piston displacement (cc)	124.8
No. of valves	3
Maximum power in kW	8.37 @ 7500 rpm
Maximum torque in Nm	11.2 @ 6000 rpm
No. of gears	5 speed
Pattern	1-N-2-3-4-5

CHASSIS DIMENSIONS & WEIGHT

Overall length (mm)	2070
Overall height (mm)	1028
Overall width (mm)	785
Wheel base (mm)	1326
Ground clearance (mm)	180 (unladen)
Kerb weight (kg)	123

SUSPENSION

Front type	Telescopic
Rear type	Monoshock, 5-step adj, Gas charged

TYRE

Front tyre	80/100 - 17 Tubeless, 46P
Rear tyre	100/90 - 17 Tubeless, 55P

BRAKES

Front Disc/Drum (mm)	Disc - 240, Drum - 130
Rear Drum (mm)	130 SBT

ELECTRICALS

Battery type & spec.	MF battery, 12V 5 Ah
Headlamp	LED
Tail lamp	LED

CAPACITIES

Fuel tank (litre)	10
-------------------	----

CONNECTED FEATURES

USER DIGITAL ON-BOARDING

- Sign in/sign up
- Add New Bike

VEHICLE CONNECTIVITY

- BLE 5.1 pairing
- Exclusive TVS Connect companion app
- Auto connection
- Connected status indicator
- Live Dashboard

WELCOME NOTE

- Welcome with Rider name
- Informs you on current location

CUSTOMIZE NOTIFICATION SETTINGS

- DND
- High speed alert threshold
- Auto launch
- Manual connect settings

RUNTIME INFO ON ALPHANUMERIC DISPLAY

- Ride time
- Traffic time
- Battery Voltage
- ECO/ PWR
- GEAR shift info

UTILITY

- Service due alert

HMI CONTROL

- Call accept - via info switch - long press
- Call reject - via info switch - short press
- Navigation time/distance remaining - via info switch long press
- Invoke voice assist - via info switch - short press

SMARTPHONE CONNECT

- Mobile battery %
- Mobile signal strength
- Clock sync - 12H
- Incoming call
- No. of missed call
- Mobile phone low battery
- Album name
- Play/pause status

SAFETY

- Over speed alert
- Wear Helmet reminder
- Side stand indication alert



NAVIGATION

- Navigation assist on
- Pictogram TBT
- Distance to next maneuver
- Turn By Turn instruction
- Total time remaining
- Total distance remaining
- Destination arrived notification
- Searching for GPS warning
- Searching for network warning
- Last parked location tracker

VOICE ASSISTANT

- "Hey Buddy"
- "Take me to MG Road, Bangalore"
- "Take me to nearest *". *Any POI
- "who called me last"
- "Increase/decrease brightness"
- "Where am I?"
- "Enable Do not disturb"
- "Disable Do not disturb"
- "Share my last trip in whats app"
- "Volume up/down"
- "Next song"
- "Previous song"
- "Play / Pause song"
- "Will it rain today"
- "What is the weather today"
- Sports news
- "Cricket score"
- "Football score"
- "Play/ pause navigation"
- "Show top speed"

SPEEDOMETER

- New gen Reverse LCD
- Self check
- Vehicle speed
- Odometer
- Trip meter
- Trip F
- DTE
- Average mileage
- Achieved Top speed display
- Average speed display
- Ride mode indication
- Fuel level indication
- Low fuel indication
- Gear indication
- Gear shift indication
- Engine rpm display
- Clock
- Boost mode entry
- Boost mode readiness
- Left right TSL indication
- High beam
- Low fuel indication
- Ems malfunction indication
- ISG malfunction indication
- ISS