Iур

Displacement Maximum Power Maximum Torque Clutch

ELECTRICALS

Battery Head Lamp

CHASSIS

Frame Dimensions Wheelbase Ground Clearance Kerb Weight

SUSPENSION

Front Rear

TYRE Front Rear

BRAKES Front Rear

FUEL TANK CAPACITY
Fuel Tank

AIR FILTER Air Filter Single Cylinder, 4-stroke, Fuel Injected, Air Cooler, Spark Ignition Engine 124.8 cc 6.9 kW @ 7000 rpm 10.5 Nm @ 5500 rpm Dry Centrifugal Clutch

12V, 4 Ah MF LED

Under Bone Tubular Type 1861 x 710 x 1164 mm 1285 mm 155 mm 110 kg

Telescopic Hydraulic Toggle link, Gas Filler Hydraulic Damper

100/80-12 – Tubeless 110/80-12 – Tubeless


Disc 220 mm Dia Drum 130 mm

5.8 litre

Paper + Foam Filter














Enjoy a truly personalised connection with your scooter!
Set up the scooter with the



app and be able to use your own image as Profile display.

Get notified on the go with
Social Media Integration that
allows from SmartXtrack from
social sites, e-commerce and
a range of offline notifications.
You will also be able to share
your own Ride Records and
other Achievements.






FOOD DELIVERY NOTIFICATIONS



E-COMMERCE ALERT NOTIFICATIONS



BEST LAP ALERT



NAVIGATION-TURN-BY-TURN INSTRUCTIONS



NAVIGATION - DESTINATION ARRIVED

NEW ADVANCED

NAVIGATION SYSTEM

Now ride your scooter freely with New Advanced Navigation and never get lost again. Simply ask your NTorq where you need to go with Navigatory Voice Commands and it'll respond with Audio Navigation Assist and if listening to the scooter isn't possible, you can simply follow the Graphic Navigation Display that gives you turn-by-turn instructions.