


TVS 

TVS
Jupiter 



15% MORE MILEAGE*

ETC
ECO THRUST

BS-VI

TVS

Jupiter
ZYADA KA FAYDA

* Under TVSM internal conditions.

BS-VI

ETFS
ECO THRUST



ENHANCED MILEAGE

15%* Better Fuel Economy

Improved driveability


Smooth power delivery with jerk-free riding.

Smoother engine refinement

Smooth & consistent engine idling.

EASY MAINTENANCE

Timely diagnosis due to OBD (on-board diagnostics) keeps maintenance cost low.



Hassle-free startability

At all operating conditions.

Superior durability

Effective component protection at all operating conditions lead to durability.

ZYADA SAFETY

The safety features of the new TVS Jupiter are tailored to keep the rider secure irrespective of changing conditions.



STURDY METAL BODY



LED HEAD LAMP




NEW

ENGINE KILL SWITCH



PASS BY SWITCH



PARKING BRAKE



ZYADA CONVENIENCE

True to the promise of offering 'zyada',
the new TVS Jupiter comes with thoughtfully designed
features ensuring ease of use and convenience.



ZYADA COMFORT

Every feature in the new TVS Jupiter is ergonomically designed for better rideability keeping in mind the comfort of the rider and his family.



* In 110cc scooter segment.

TVS JUPITER



NEW METALLIC RED



NEW METALLIC BLUE



WALNUT BROWN



TITANIUM GREY



MIDNIGHT BLACK



PRISTINE WHITE

ZYADA COLOURS

TVS JUPITER ZX



ROYAL WINE



STARLIGHT BLUE

TVS JUPITER CLASSIC



SUNLIT IVORY



AUTUMN BROWN



INDI BLUE



SPECIFICATIONS

ENGINE (BS-VI compliant)

Type	Single cylinder, 4-stroke, CVTi, fuel injection
Displacement	109.7cc
Bore x Stroke	53.5 x 48.8 mm
Air Filter Type	Viscous paper filter
Maximum Power	5.8 kW @ 7500 rpm
Maximum Torque	8.8 Nm @ 5500 rpm
Transmission Type	CVT automatic
Starting System	Kick and electric starter

ELECTRICALS

Ignition	ECU controlled ignition
Battery	12V, 4Ah MF battery
Head Lamp	LED

CHASSIS & SUSPENSION

Frame	High rigidity underbone type
Dimensions (lxbxh)	1834 x 678 x 1286 mm
Wheelbase	1275 mm
Ground Clearance	163 mm (unladen)
Kerb Weight	109 kg
Wheels	Alloy
Front Suspension	Telescopic hydraulic
Rear Suspension	3-step adjustable-type coil spring with hydraulic damper

BRAKES & TYRES

Front & Rear	Ø130 mm Drum (SBT)
Tyre Size (Front & Rear)	90/90-12 54 J (tubeless)



TVS MOTOR COMPANY LIMITED

P. B. No. 4, Harita, Hosur - 635 109, Tamil Nadu, India.

Telephone: +91 (4344) 276780 Fax: +91 (4344) 277311/276878

www.tvsmotor.com/tvs-jupiter Toll-Free: 1800 315 7777

ALWAYS WEAR A HELMET WHILE RIDING.



TVSCREDIT

The 1 Hour
Service Promise



Facebook: [tvsjupiter](https://www.facebook.com/tvsjupiter) | www.tvsmotor.com/tvs-jupiter | CALL: 1800 315 7777