

TVS 

FASTEST **125 CC**
MOTORCYCLE
IN THE SEGMENT



TVS

RAIDER
— THE WICKED RIDE

WICKED STYLE

INDIA'S FIRST **COMMUTER**
BIKE WITH  **TFT CONSOLE**

**SPORTY TANK
WITH SCOOPS**

**UNIQUE
LED TAIL LAMP**

**ANIMALISTIC
LED HEADLAMP**



**NAKED STREET
DESIGN**


WICKED PERFORMANCE



ADVANCED 3-VALVE ENGINE
Air cooled engine with oil cooling



MULTIPLE RIDE MODES



**BEST-IN-CLASS
ACCELERATION**
0-60 km/h in 5.8 sec[#]



**BEST-IN-CLASS
TORQUE**
11.75 Nm @6000 RPM

TVS iGO Assist

10% MORE MILEAGE*




**ETFB
ECOTHRAUST**

15% MORE MILEAGE*
SMOOTH ENGINE PERFORMANCE

[#] In all variants except single seat. * Under TVSM internal test conditions.

WICKED CONNECTED TECH

TFT CONSOLE



REVERSE LCD



99 FEATURES



VOICE ASSIST



ON-THE-GO CALL MANAGEMENT



SPORTS UPDATES



NAVIGATION



ON-CONSOLE NOTIFICATIONS



WEATHER UPDATES

WICKED **SAFETY+CONVENIENCE_**



**ROTOPETAL
DISC BRAKE**

SBT
SYNCHRONIZED BRAKING
TECHNOLOGY



**SIDE STAND
INDICATION AND
ENGINE CUT-OFF**



**HELMET ATTENTION
INDICATION**



**UNDER-SEAT
STORAGE**



USB CHARGER

WICKED COMFORT_



GLIDE THROUGH TECHNOLOGY



**COMFORTABLE
RIDING POSTURE**



WIDER TYRES



**MONOSHOCK
SUSPENSION**



**180 MM
GROUND CLEARANCE**



WIDER SPLIT SEAT

WICKED COLOURS_

RED ALLOYS



NARDO GREY_



WICKED BLACK_

BLACK ALLOYS



FORZA BLUE_



STRIKING RED_



BLAZING BLUE_



FIERY YELLOW_



BLACK PANTHER_



IRON MAN_

TECHNICAL SPECIFICATIONS

	SX	SSE	IGO	SPLIT	SINGLE	
Front Brake	Disc	Disc	Disc	Disc	Disc	Drum
Technology	iGO Assist	iGO Assist	iGO Assist	iGO Assist	Intelligo	Intelligo
Screen	TFT	Reverse LCD	Reverse LCD	Reverse LCD	Reverse LCD	Reverse LCD
Connected Tech	99+ features	85+ features	85+ features	85+ features	No	No
SmartXonnect	Yes	Yes	Yes	Yes	No	No
GTT Glide Through Technology	Yes	Yes	Yes	Yes	Yes	Yes
Boost Mode	Yes	Yes	Yes	Yes	No	No
Ambient Sensor	Yes	Yes	Yes	Yes	No	No
Voice Assist	Yes	Yes	Yes	Yes	No	No
Call Management	Yes	Yes	Yes	Yes	No	No
Maximum Torque in Nm	11.75@6000 rpm	11.75@6000 rpm	11.75@6000 rpm	11.75@6000 rpm	11.2@6000 rpm	11.2@6000 rpm

ENGINE & TRANSMISSION

Type	Air & Oil cooled, single cylinder, SI
Bore x Stroke (mm)	53.5 x 55.5
Piston Displacement (cc)	124.8
No. of Valves	3
Maximum Power in kW	8.37 @ 7500 rpm
No. of Gears	5-speed
Pattern	1-N-2-3-4-5

CHASSIS DIMENSIONS & WEIGHT

Overall Length (mm)	2070
Overall Height (mm)	1028
Overall Width (mm)	785
Wheelbase (mm)	1326
Ground Clearance (mm)	180 (unladen)
Kerb Weight (kg)	123

SUSPENSION

Front Type	Telescopic
Rear Type	Monoshock, 5-step adj, Gas charged

TYRES

Front Tyre	80/100 - 17 Tubeless
Rear Tyre	100/90 - 17 Tubeless

BRAKES

Front Disc/Drum (mm)	Disc - 240, Drum - 130
Rear Drum (mm)	130 SBT

ELECTRICALS

Battery Type & Spec.	MF battery, 12V 4 Ah
Headlamp	LED
Tail Lamp	LED

CAPACITIES

Fuel Tank (litre)	10
-------------------	----

Accessories shown in the images may not be part of standard equipment. Technical specifications may change without prior notice.

TVS  TVS MOTOR COMPANY LIMITED
P.B. No. 4, Harita, Hosur-635 109, Tamil Nadu, India.
Tel: +91 (04344) 276780 | Fax: +91 (04344) 276878
www.tvsmotor.com