

ZYADA SE BHI ZYADA



## SUPERIOR PERFORMANCE

**POWER & REFINEMENT** 

Ever since its inception, TVS Jupiter has kept the consumers' needs at the forefront and delivered on its brand philosophy of offering 'ZYADA' on every count.


Over **4.5 million happy customers** stand testament to this philosophy.

Continuing this focus on meeting the consumers'
evolving needs and offering Zyada, the new TVS Jupiter 125
has been designed with several class-leading features,
which help in taking this philosophy further by offering

ZYADA SE BHI ZYADA on every ride.









# PREMIUM STYLE

STYLISH & PREMIUM



STYLISH LED HEADLAMP WITH VISOR



**ELEGANT TAIL LAMP** 





#### **BIGGER SPACE**

LARGER & MORE CONVENIENT



**LARGEST UNDERSEAT STORAGE SPACE**Bigger-than-ever storage space of 33 L that can comfortably fit two helmets





## SOLID SAFETY

HELPING YOU STAY SAFE IN ALL YOUR JOURNEYS









#### VERSATILE CONVENIENCE

FOR ALL YOUR JOURNEYS - SHORT OR LONG



ADVANCED DIGITAL SPEEDOMETER

Mileage performance indicators help with information such as Distance-to-Empty, Average Fuel Efficiency & Low Fuel Indicator



EXTERNAL FUEL FILLING IN FRONT



CONVENIENT ALL-IN-ONE LOCK & MOBILE CHARGER



### DYNAMIC COMFORT

RIDING COMFORT UNDER ALL CONDITIONS



**LONGEST FLAT SEAT** 



**EASY GROUND REACH**The optimum seat height ensures that your legs reach the ground **easily** 



**ADVANCED TELESCOPIC SUSPENSION** 



ADJUSTABLE REAR SHOCKS WITH MIG Adjustable rear shocks with 1st in industry Monotube Inverted Gas (MIG) filled shocks for extra cushioning

#### BODY BALANCE TECHNOLOGY Body Balance Technology helps make the vehicle easier to control and manoeuvre

### **SPECIFICATIONS**

#### **ENGINE (BS-VI compliant)**

Type Single cylinder, 4-stroke, Air cooled Displacement 124.8cc

Displacement 124.8cc
Bore x Stroke 53.5 x 55.5 mm

Fuel Supply System ETFI-Fuel injection - Closed loop

Air Filter Type Paper filter

Maximum Power6.0 kW @ 6500 rpmMaximum Torque10.5 Nm @ 4500 rpmTransmission TypeCVT automatic

#### **ELECTRICALS**

IgnitionECU Controlled ignitionBattery12V, 4Ah MF batteryHeadlampLED with Clear lens with MFRTail LampBulb with LED light guideStarting SystemElectric silent start

#### **CHASSIS & SUSPENSION**

Frame High rigidity underbone type

Dimensions (lxbxh) 1852 x 681 x 1168 Wheelbase 1275 mm

Ground Clearance 163 mm (unladen)

Seat Length 790 mm
Kerb Weight 108 kg
Fuel Tank Capacity 5.1 L
Wheels Alloy

Front Suspension Telescopic hydraulic

Rear Suspension Monotube Inverted Gas (MIG) filled shock

with Spring aid 3-step adjustable

#### **BRAKES & TYRES**

Front 220 mm Disc, 130 mm Drum

Rear 130 mm Drum

Tyre Size (Front & Rear) 90/90-12 54J (tubeless)

## **COLOURS**















